



HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

otto
HARDWOOD BY DESIGN

CONTEMPORARY COMPLEMENTS

A contemporary colour palette ensures the ottó collection complements other superior finishes in marble, stone, concrete, steel and timber. Flexibility to mix and match board dimensions in any design space.


Choose a strip, chevron or herringbone pattern that reflects your very own style.

A lifestyle grade creates authentic character including greater design choices for wider, longer and thicker board options.

A superb natural finish that is hard wearing and suitable for high traffic applications.

GREENGUARD Indoor Air Quality Certified ensures ottó's natural finish is VOC compliant.

Custom stair solutions can be tailored specifically for any design project.



THE OTTÓ RANGE

- Contemporary colour palette
- Hand selected boards for authentic character
- Hardwood core
- Hard wearing, water based matte finish
- Engineered for high stability
- Highly resistant to spills such as liquid, food and oil
- A natural feel on barefeet
- Green credentials equals healthier to live on
- Easy care and maintenance program
- Suitable for underfloor heating



ottó X



ottó XI




ottó XII



ottó XIII



ottó XIV




ottó XV



ottó XVI



ottó XVII



ottó XVIII

ottó
HARDWOOD BY DESIGN

OTTÓ PROFILES

STRIP

240 x 14.2 / 3.2 x 2450

240 x 18.0 / 6.0 x 2450

290 x 22.0 / 6.0 x 2450

350 x 22.0 / 6.0 x 2450

400 x 22.0 / 6.0 x 3000

HERRINGBONE

120 x 14.2 / 3.2 x 840






120 x 18.0 / 6.0 x 840

CHEVRON



120 x 14.2 / 3.2 x 810

120 x 18.0 / 6.0 x 810


STRIP



HERRINGBONE



CHEVRON



For project assistance please contact:

George Fethers & Co.

P +61 3 9646 5266

E gfethers@gfethers.com.au

OTTÓ INSTALLATION


Dual Bond or Direct Stick only.
Please contact George Fethers for
an ottó approved contractor.

Lead time: 10 - 12 weeks

STAIR SOLUTIONS


Custom stair solutions are suited to
tread dimensions using 240, 290 or
350 wide ottó boards.

Please contact an ottó flooring
specialist to discuss tailored
solutions for fully enclosed, partly
exposed or fully exposed staircases.




FLOORING PATTERNS

HERRINGBONE




SINGLE
HERRINGBONE




DOUBLE
HERRINGBONE


STRIP




RANDOM WIDTH



SQUARE
BASKET





DIAGONAL
BASKET





DIAGONAL


BORDERS




CHEVRON




DIAGONAL
HERRINGBONE



BRICK
PATTERN




GRID
HORIZONTAL



OFFSET

MIX & MATCH

The design brief is in your hands!



WARRANTY

For information on residential and commercial warranties please contact us on the details below.

CARE & MAINTENANCE

George Fethers recommends the Bona Spray Mop system to clean and maintain all ottó floors. The Spray Mop is ergonomic, ready to use and does not need a bucket.

Preparation

- Clean the floor using a Bona dusting pad, a soft broom or vacuum with a soft brush attachment
- Remove surface dirt/grit on a regular basis to prevent the floor surface from being scratched

Directions

- Insert the Wood Floor Cleaner cartridge into Spray Mop
- Attach the micro fibre cleaning pad onto the mop head
- Spray the cleaner onto floor
- Use the rotatable mop head for hard to reach areas
- Rinse or replace the cleaning pad when it becomes dirty
- For difficult marks spray the cleaner onto floor
- Ensure all sprayed areas are wiped clean for a streak free finish
- Remove micro fibre cleaning pad and wash at 60°C (do not use fabric conditioner)

PRODUCTS

To purchase Bona Spray Mop products please contact us on the details below.

The logo for ottó, featuring the word 'ottó' in a stylized, lowercase, black font with a dot over the 'o'.

HARDWOOD BY DESIGN

P +61 3 9646 5266

E gfethers@gfethers.com.au

